

Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Pantasolverkupfer, Ansatzsalz
Pantasol copper bath (make-up salt)

• Article number: 3120400103

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Galvanic bath

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wieland Edelmetalle GmbH

Schwenninger Str. 13

75179 Pforzheim

Telefon +49 (07231)-1393-0, Telefax +49 (07231)-1393-100

· Further information obtainable from:

Wieland Edelmetalle GmbH

www.wieland-edelmetalle.de msds@wieland-edelmetalle.de

1.4 Emergency telephone number:

Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS06 GHS09

· Signal word Danger

(Contd. on page 2)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz

Pantasol copper bath (make-up salt)

(Contd. of page 1)

Hazard-determining components of labelling:

potassium cyanide copper cyanide

Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH032 Contact with acids liberates very toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:		
I		F - 11100-11-1-1 - J 11-1-11-1	25-50%
	EINECS: 205-792-3	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Ī		copper cyanide	10-25%
	EINECS: 208-883-6	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

Do not use mouth to mouth or mouth to nose resuscitation.

Use a respiratory bag or breathing device.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

(Contd. on page 3)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz

Pantasol copper bath (make-up salt)

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Unconsciousness

Breathing difficulty

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Hydrogen cyanide (HCN)

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Store under lock and key and with access restricted to technical experts or their assistants only. Keep receptacle tightly sealed.

- · Storage class: 6.1B
- · 7.3 Specific end use(s) No further relevant information available.

GR



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz

Pantasol copper bath (make-up salt)

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

151-50-8 potassium cyanide

WEL Long-term value: 5 mg/m³

as CN; Sk

544-92-3 copper cyanide

WEL Long-term value: 5 mg/m³

as CN; Sk

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Suitable respiratory protective device recommended.

Filter P2

Filter P1

· Protection of hands:

Plastic gloves



Protective gloves

· Material of gloves

Chloroprene rubber, CR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

· Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Value for the permeation: Level ≤ 6

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Crystalline

(Contd. on page 5)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz Pantasol copper bath (make-up salt)

	(Contd. of pag
Colour:	White
· Odour:	Characteristic
pH-value (25 g/l) at 20 °C:	11
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	Not applicable.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Oxidising properties	None
Density at 20 °C:	1100 gkg/m^3
· Solubility in / Miscibility with	
water at 20 °C:	250 g/l
· Solvent content:	
Organic solvents:	0,0 %
Solids content:	100,0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Hydrogen cyanide (prussic acid)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Fatal if swallowed, in contact with skin or if inhaled.

· LD/LC50	· LD/LC50 values relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimates)		
Oral	LD50	15.1 mg/kg (rat)	
Dermal	LD50	9.17 mg/kg	
		0.0917 mg/l	
151 50 9 notossium avanida			

151-50-8 լ	151-50-8 potassium cyanide		
Oral	LD50	5 mg/kg (rat)	
	LDLO	2.86 mg/kg (human) (RTECS)	
Dermal	LD50	5 mg/kg (ATE)	
Inhalative	LC50/4 h	0.05 mg/l (ATE)	
		(Contd. on page 6)	

(Contd. on page 6)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz

Pantasol copper bath (make-up salt)

(Contd. of page 5)

7757-83-7	7757-83-7 sodium sulphite		
Oral	LD50	3,560 mg/kg (rat)	
544-92-3	544-92-3 copper cyanide		
Oral	LD50	126 mg/kg (rat)	
Dermal	LD50	5 mg/kg (ATE)	
Inhalative	LC50/4 h	0.05 mg/l (ATE)	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aqua	atic to	xicity:
--------	---------	---------

151-50-8 potassium cyanide

LC50 0.45 mg/l (96h) (Lepomis macrochirus (bluegrill))

EC50 2 mg/l (48h) (Daphnia magna (water flea))

EC50 1.8-1.9 mg/l (72h) (Eutosiphon sulcatum) (CN)

IC50 0.03 mg/l (8d) (Sc.quadricauda)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

(Contd. on page 7)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz Pantasol copper bath (make-up salt)

(Contd. of page 6)

Contact manufacturer for recycling information.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	1111500
ADR, IMDG, IATA	UN1588
14.2 UN proper shipping name	
ADR	1588 CYANIDES, INORGANIC, SOLID, N.O.
	(POTASSIUM CYANIDE, COPPER CYANIDE)
IMDG	CYANIDES, INORGANIC, SOLID, N.C
	(POTASSIUM CYANIDE, COPPER CYANID MARINE POLLUTANT
IATA	CYANIDES, INORGANIC, SOLID, N.C.
IAIA	(POTASSIUM CYANIDE, COPPER CYANIDE)
14.3 Transport hazard class(es)	
ADR	

Class	6.1 (T5) Toxic substances.
Label	6.1
IMDG	
* * * * * * * * * *	
Class	6.1 Toxic substances.
Label	6.1
IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDĞ, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	Yes
G	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Toxic substances.
Danger code (Kemler):	66



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz
Pantasol copper bath (make-up salt)

	(Contd. of page
EMS Number:	F-A,S-A
Segregation groups	Cyanides
14.7 Transport in bulk according to A	Annex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR	
Limited quantities (LQ)	500 g
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
Transport category	2
Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	500 g
Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 g
	Maximum net quantity per outer packaging: 500 g
·IATA	
Remarks:	(POTASSIUM CYANIDE, COPPER CYANIDE)
UN "Model Regulation":	UN1588, CYANIDES, INORGANIC, SOLID, N.O.S 6.1, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- H1 ACUTE TOXIC
- E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 20 t
- · National regulations:
- Technical instructions (air):

Class	Share in %
III	22.2

- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

(Contd. on page 9)



Printing date 16.04.2018 Version number 2 Revision: 16.04.2018

Trade name: Pantasolverkupfer, Ansatzsalz Pantasol copper bath (make-up salt)

(Contd. of page 8)

H410 Very toxic to aquatic life with long lasting effects.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 1: Acute toxicity – Category 1

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.